


Comfort Fabric Wall Panels



Our Comfort Range panels are designed as a wall lining to control sound reverberation in areas with hard surfaces. Comfort Range panels improve the atmosphere of the workplace environment due to the products ability to absorb echo and reverberation.

Overview

Designed with fabric finishes. Available in a vast range of fabrics and colours. Standard and bespoke sizes available. Outstanding sound absorption performance – 40mm thick panel achieves Class A & 25mm thick panel achieves Class C.


Features


Standard Panel Sizes: $1200 \times 900 \text{mm} / 1200 \times 1200 \text{mm} / 1200 \times 1800 \text{mm} / 1200 \times 2100 \text{mm} / 1200 \times 2400 \text{mm} / 1200 \times 2700 \text{mm} / 1200 \times 3000 \text{mm} (40 \text{mm}) / Bespoke on request}$ Core Material: High Density Fibreglass (3kgs m2 & 4kgs m2) Acoustic Performance: Class A – 40 mm thick panel – & Class C – 25 mm thick panel


Fabric Reference: Camira Cara, Lucia & Lucia CS Class 0 (Standard Range) / Camira Blazer Lite Class 0 (Premium Range) Fabric Lightness: 6 (ISO 105-B02)

Fabric Fire Resistance: Lucia CS BS 476 Part 6 Class 0 (BS EN 13501-1 Class B,s1,d0) / Blazer Lite BS 476 Part 6 Class 0 (BS EN 13501-1 Class B,s1,d0)

Weight: 25mm thick Comfort Range panels weigh 3.5kgs/m2 / 40mm thick Comfort Range panels weigh 4.5kgs/m2













London Wall: Comfort Fabric Wall Panels

Page 2

Page 3





www.londonwall.co.uk info@londonwall.co.uk 020 8391 8750

London Wall Design Ltd 63 Barwell Business Park Chessington KT9 2NY