

Serenity Acoustic Wall Panels



Our Serenity Acoustic Wall Panels act as a sound absorbing ceiling baffle to eliminate echo and reverberation within interior environments.

Overview PET Colours

Crafted using our Eco Polyester material as a base, Serenity Acoustic Wall Panels offer unlimited design possibilities; choose from over 15 panel shapes, all of which are available in 12mm and 24mm thickness and a range of over 20 colours. Alternatively, specify your own shape with the help and guidance of our expert Design Team.

Features

Square Panel Sizes: Square: 400mm / 600mm / 1200mm Rectangle Panel Sizes: Rectangle: 600mm & 1200mm wide x 1200mm, 1800mm & 2400mm long

Core Material: Compressed Polyester

Acoustic Performance: Direct to wall surface: 12mm = Class D (24mm) = Class C / 50mm void (without insulation): 24mm = Class A 0.95 NRC

Suspension: Contact adhesive direct to wall surface

Raft Thickness: 12mm and 24mm

Weight: 24mm thick Serenity Range panels weigh 4.5kgs/m2 Fire Resistance: Part 1: Part 1: Fire classification using data

from reaction to fire tests, Class B










Shapes



Circle Dia: 600mm / 800mm / 1,200mm



Soft Rectangle H: 600mm / 1,200mm W: 1,200mm / 1,800mm / 2,400mm



Rectangle H: 600mm / 1,200mm W: 1,200mm / 1,800mm / 2,400mm




Elipse H: 800mm / 1,200mm W: 2,400mm




Jewel H: 1,200mm W: 600mm




Stone H: 600mm / 800mm / 1,200mm W: 600mm / 800mm / 1,200mm



Square H: 600mm / 800mm / 1,200mm W: 600mm / 800mm / 1,200mm



Triangle H: 600mm / 800mm / 1,200mm W: 600mm / 800mm / 1,200mm



Slate H: 600mm / 800mm W: 300mm / 400mm



Seeding H: 1,200mm W: 600mm




Plus H: 600mm W: 600mm



Chain Link H: 1,200mm W: 400mm



Shell H: 600mm W: 600mm




Gear Dia: 600mm / 800mm / 1,200mm



Rad H: 1,200mm W: 300mm



Drop H: 1,200mm W: 600mm









www.londonwall.co.uk info@londonwall.co.uk 020 8391 8750

London Wall Design Ltd 63 Barwell Business Park Chessington KT9 2NY