
Comfort Fabric Ceiling Rafts



Our Comfort Range Acoustic Rafts are designed to achieve the highest acoustic performance without compromising on style. Comfort Range rafts absorb sound and enables the optimum level of acoustic comfort.


Overview

Comfort Range rafts help improve the atmosphere of the workplace environment due to the products ability to absorb echo and reverberation.

Designed with fabric finishes. Available in a vast range of fabrics and colours.

Standard and bespoke shapes and sizes available, with outstanding sound absorption performance – 40mm thick panel achieves Class A.

Comfort Rafts are designed to absorb sound from the front and back surfaces which enables and achieves the highest absorption performance.



Features

Standard Panel Sizes: 1200mm x 300mm / 1800mm x 300mm / 2400mm x 300mm /1200mm x 600mm / 1800mm x 600mm / 2400mm x 600mm / Bespoke on request

Core Material: High Density Fiberglass tested and offers EN13501-1:2018 A2-s1, do and Class O to BS476: Part 6 Acoustic Performance: Class A – 40mm thick panel Fabric Reference: Camira Cara, Lucia, Era, Sonus


Fabric Lightness: 5&6 (ISO 105-B02)


Fabric Fire Resistance: Camira Cara, Lucia, Era, Sonus (BS EN

13501-1 Class B,s1,d0)


Weight: 40mm thick Comfort Range panels weigh 4.5kgs/m2











London Wall: Comfort Fabric Ceiling Rafts

Page 2

Page 3

Installation



The installation time for our Comfort Fabric Ceiling Rafts is easy and quick. In fact, it does not require a specialist fitter to carry out the installation. The acoustic rafts are simply suspended by steel cables from the soffit by means of special spiral hooks which are fitted into the reverse of the raft by means of clockwise rotation.

Height level adjustment can be carried out by manipulating the length of each cable to suit when it is inserted into the eyelet hook. Comfort Fabric Ceiling Rafts can be set at an angle if required to increase design and aesthetic properties.

The spiral hooks should be placed approx. 200mm in from the edge of the Comfort Fabric Ceiling Raft. For angled installations, we recommend the largest panels to be no more than 600mm x 600mm.

Our hanging kit includes spiral hook. 2m cable and eyelet hook.



www.londonwall.co.uk info@londonwall.co.uk 020 8391 8750

London Wall Design Ltd 63 Barwell Business Park Chessington KT9 2NY