

L O N D O N W A L L

Serenity Timber Slatted Acoustic Panels



Our Serenity Timber Slatted Acoustic panels act as a sound absorbing product to eliminate echo and reverberation around the working environment.

Overview

The 9mm thick backing material is a compressed polyester panel manufactured using post-consumer recycled polyester from plastic bottles, supplied in black. Choose from a selection of veneer; Light Oak, Smoke Oak, Walnut, Charcoal Grey & Grey Oak.

Standard size panels are 605mm wide x 2400mm high x 22mm deep, but can be cut down and cutouts can be provided to accommodate light switches and sockets. Light Oak also available in 3000mm lengths.

Features

- Core Material:** Compressed Polyester finished in veneered MDF
- Acoustic Performance:** Sound Absorption Class: 40mm / Air Gap = Class A, Direct to Wall = Class D
- Suspension:** Direct to wall or battens
- Weight:** 9kgs/m2
- Fire:** Core board has been tested and offers Class I fire rating to BVS476: Part 6.
- Sizes:** 1,200mm x 200mm x 40mm / 1,200mm x 300mm x 40mm / 1,800mm x 200mm x 40mm / 1,800mm x 300mm x 40mm / 2,400mm x 200mm x 40mm / 2,400mm x 300mm x 40mm
- Optional:** Upgrade real wood timber slats / fire rated timber



Colours



Charcoal Grey



Grey Oak




Light Oak




Smoked Oak



Walnut





LONDONWALL

www.londonwall.co.uk
info@londonwall.co.uk
020 8391 8750

London Wall Design Ltd
63 Barwell Business Park
Chessington
KT9 2NY